

— CREATES MOBILE WORKPLACES —

# IVECO

Daily




SYSTEM   
EDSTRÖM


# IVECO DAILY 9 M<sup>3</sup> H1 3000 mm wheel base

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F41401	1453x300x1220 mm	33	2,6




Art.No	LxDxH	Kg	Hr.
F41400	2874x300x1220 mm	56	3,6




Art.No	LxDxH	Kg	Hr.
F41403	1530x300x1220 mm	60	3,3




Art.No	LxDxH	Kg	Hr.
F41402	2874x300x1220 mm	71	4,2



Art.No	LxDxH	Kg	Hr.
F41405	1453x470x1220 mm	50	6,3



Art.No	LxDxH	Kg	Hr.
F41404	2661x470x1220 mm	74	3,6



Art.No	Height	Kg	Hr.
F41407	1539x300x1220 mm	64	4,4




Art.No	Height	Kg	Hr.
F41406	2661x470x1000 mm	92	4,4




# IVECO DAILY 10,8 M<sup>3</sup> H2 3520 mm wheel base

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F41421	1242x300x1440 mm	32	2,6




Art.No	LxDxH	Kg	Hr.
F41420	2662x300x1440 mm	58	3,5




Art.No	LxDxH	Kg	Hr.
F41423	1531x300x1440 mm	63	3,3




Art.No	LxDxH	Kg	Hr.
F41422	2450x300x1440 mm	66	3,9




Art.No	LxDxH	Kg	Hr.
F41425	1242x470x1440 mm	50	2,8



Art.No	LxDxH	Kg	Hr.
F41424	2662x470x1440 mm	76	3,5



Art.No	Height	Kg	Hr.
F41427	1531x300x1440 mm	75	4,4



Art.No	Height	Kg	Hr.
F41426	2662x300x1440 mm	96	5,0


# IVECO DAILY 12 M<sup>3</sup> H2 3520 mm wheel base

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




Art.No	LxDxH	Kg	Hr.
F41441	1880x300x1440 mm	44	3,1



Art.No	LxDxH	Kg	Hr.
F41440	3054x300x1440 mm	64	3,5



Art.No	LxDxH	Kg	Hr.
F41443	1924x300x1440 mm	67	3,3



Art.No	LxDxH	Kg	Hr.
F41442	2662x300x1440 mm	72	4,0



Art.No	LxDxH	Kg	Hr.
F41445	1880x470x1440 mm	66	3,3



Art.No	LxDxH	Kg	Hr.
F41444	3086x470x1440 mm	96	4,2



Art.No	LxDxH	Kg	Hr.
F41447	1955x300x1440 mm	90	5,0




Art.No	Height	Kg	Hr.
F41446	3053x300x1440 mm	109	5,2


# IVECO DAILY 16 M<sup>3</sup> H2 4100 mm wheel base

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




Art.No	LxDxH	Kg	Hr.
F41461	2870x300x1440 mm	60	4,4




Art.No	LxDxH	Kg	Hr.
F41460	4323x300x1440 mm	89	5,0




Art.No	LxDxH	Kg	Hr.
F41463	2736x300x1440 mm	83	5,5




Art.No	LxDxH	Kg	Hr.
F41462	4110x300x1440 mm	110	6,6




Art.No	LxDxH	Kg	Hr.
F41465	3083x470x1440 mm	96	4,4



Art.No	LxDxH	Kg	Hr.
F41464	4323x470x1440 mm	129	5,0



Art.No	LxDxH	Kg	Hr.
F41467	2737x300x1440 mm	104	6,6




Art.No	Height	Kg	Hr.
F41466	4322x300x1440 mm	148	7,7




# IVECO DAILY 17,5 M<sup>3</sup> H2 4100 mm wheel base

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




Art.No	LxDxH	Kg	Hr.
F41481	3475x300x1440 mm	74	4,4



Art.No	LxDxH	Kg	Hr.
F41480	4712x300x1440 mm	94	6,1




Art.No	LxDxH	Kg	Hr.
F41483	3308x300x1440 mm	117	6,6




Art.No	LxDxH	Kg	Hr.
F41482	4746x300x1440 mm	123	7,9




Art.No	LxDxH	Kg	Hr.
F41485	3475x470x1440 mm	111	4,4



Art.No	LxDxH	Kg	Hr.
F41484	4468x470x1440 mm	134	5,0



Art.No	LxDxH	Kg	Hr.
F41487	3470x300x1440 mm	116	7,3



Art.No	Height	Kg	Hr.
F41486	4680x300x1440 mm	175	8,0


## IVECO DAILY 13,4 M<sup>3</sup> H3 3520 mm wheel base

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




Art.No	LxDxH	Kg	Hr.
F41501	1876x300x1840 mm	61	3,5




Art.No	LxDxH	Kg	Hr.
F41500	2868x300x1795 mm	72	5,0

## IVECO DAILY 18 M<sup>3</sup> H3 4100 mm wheel base




Art.No	LxDxH	Kg	Hr.
F41521	2870x300x1795 mm	75	5,4




Art.No	LxDxH	Kg	Hr.
F41520	4288x300x1795 mm	108	5,7

## IVECO DAILY 19,6 M<sup>3</sup> H3 4100 mm wheel base




Art.No	LxDxH	Kg	Hr.
F41541	3475x300x1840 mm	88	5,5




Art.No	LxDxH	Kg	Hr.
F41540	4712x300x1440 mm	94	6,1

# ACCESSORIES



Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1




Art.No

F11001

Pegboard not included.

Accessory package No. 2




Art.No

F11002

Pegboard not included.

Accessory package No. 3



Art.No

F11004

Pegboard not included.

For more information:  
[www.systemedstrom.co.uk](http://www.systemedstrom.co.uk)



Up to 5 years  
warranty



Crash tested



Made in Sweden

**SYSTEM  
EDSTRÖM**

EDSTRÖM OF SWEDEN LTD.  
7, Cronin Road  
Weldon South Industrial Estate, Corby  
Northamptonshire NN18 8 AQ

CONTACT  
Telephone 01536 203040  
Email [info@edstrom.co.uk](mailto:info@edstrom.co.uk)  
Homepage [www.systemedstrom.co.uk](http://www.systemedstrom.co.uk)