

— CREATES MOBILE WORKPLACES —

TOYOTA

ProAce



SYSTEM 
EDSTRÖM

TOYOTA PROACE CITY L1

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F43101	724x300x890 mm	31	2,8



Art.No	LxDxH	Kg	Hr.
F43100	1239x300x890 mm	22	2,1



Art.No	LxDxH	Kg	Hr.
F43103	848x300x890 mm	21	2,5



Art.No	LxDxH	Kg	Hr.
F43102	1285x300x890 mm	47	3,0



Art.No	LxDxH	Kg	Hr.
F43105	939x300x890 mm	41	3,0



Art.No	LxDxH	Kg	Hr.
F43104	1239x300x890 mm	40	3,4



Art.No	Height	Kg	Hr.
F43110	190	66	6,1



Art.No	Height	Kg	Hr.
F43112	250	71	6,1



Art.No	Height	Kg	Hr.
F43111	360	88	6,6

TOYOTA PROACE CITY L2

Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F43121	1138x300x890 mm	47	3,1



Art.No	LxDxH	Kg	Hr.
F43120	1662x300x890 mm	25	2,9



Art.No	LxDxH	Kg	Hr.
F43123	1138x300x1000 mm	47	3,6



Art.No	LxDxH	Kg	Hr.
F43122	1619x300x890 mm	51	3,1



Art.No	LxDxH	Kg	Hr.
F43125	1107x300x890 mm	59	4,2



Art.No	LxDxH	Kg	Hr.
F43124	1662x300x890 mm	50	4,1



Art.No	Height	Kg	Hr.
F43130	190	76	6,1



Art.No	Height	Kg	Hr.
F43132	250	81	6,1



Art.No	Height	Kg	Hr.
F43131	360	100	6,6


TOYOTA PROACE COMPACT

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F42101	758x300x1000 mm	19	2,1




Art.No	LxDxH	Kg	Hr.
F42100	1452x300x1000 mm	27	2,1



Art.No	LxDxH	Kg	Hr.
F42103	726x300x890 mm	27	3,1



Art.No	LxDxH	Kg	Hr.
F42102	1452x300x890 mm	37	2,8



Art.No	LxDxH	Kg	Hr.
F42105	726x300x890 mm	36	3,3



Art.No	LxDxH	Kg	Hr.
F42104	1452x300x1000 mm	44	3,0



Art.No	Height	Kg	Hr.
F42110	190	81	6,1



Art.No	Height	Kg	Hr.
F42111	250	87	6,1




Art.No	Height	Kg	Hr.
F42112	360	106	6,4

TOYOTA PROACE MEDIUM

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F42121	1061x300x1000 mm	24	2,1




Art.No	LxDxH	Kg	Hr.
F42120	1785x300x1000 mm	33	2,9



Art.No	LxDxH	Kg	Hr.
F42123	1107x300x890 mm	35	3,1



Art.No	LxDxH	Kg	Hr.
F42122	1785x300x890 mm	42	3,6



Art.No	LxDxH	Kg	Hr.
F42125	1107x300x890 mm	46	3,3



Art.No	LxDxH	Kg	Hr.
F42124	1785x300x1000 mm	52	3,8



Art.No	Height	Kg	Hr.
F42130	190	87	6,1



Art.No	Height	Kg	Hr.
F42131	250	94	6,1




Art.No	Height	Kg	Hr.
F42132	360	128	6,7


TOYOTA PROACE LONG

Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	LxDxH	Kg	Hr.
F42141	1453x300x1000 mm	29	2,1




Art.No	LxDxH	Kg	Hr.
F42140	2054x300x1000 mm	35	2,9



Art.No	LxDxH	Kg	Hr.
F42143	1440x300x1000 mm	50	3,3



Art.No	LxDxH	Kg	Hr.
F42142	2054x300x890 mm	46	3,7




Art.No	LxDxH	Kg	Hr.
F42145	1440x300x890 mm	61	3,6




Art.No	LxDxH	Kg	Hr.
F42144	2054x300x1000 mm	55	3,9



Art.No	Height	Kg	Hr.
F42150	190	91	6,1



Art.No	Height	Kg	Hr.
F42151	250	96	6,1



Art.No	Height	Kg	Hr.
F42152	360	130	6,7

INFORMATION



GENERALLY

The kits include what you see in the drawing as well as installation parts, rubber mats to all shelves and foam to the drawers. System Edström Bilinredningar AB is certified according to SS-EN ISO 9001:2015 to secure the administrative quality and to give us the possibility to keep a high accuracy on deliveries.

All material used in System Edström can be recycled to 100%. We are also certified according to SS-EN ISO 14001:2015.



REMEMBER

Now that you have chosen to have System Edström in your vehicle you have taken the first and most important step to make your mobile workshop safe and functional. From here on it is up to you how safe and functional your working place will be.

Remember;

You as the driver has the full responsibility if you or any one else is injured if the cargo is poorly secured. It is also your responsibility to make sure that the interior is mounted in the safest way possible whatever your choice of workshop, even if they are professionals with knowhow and long experience.


Make sure NOT to exceed the maximum payload of the vehicle.



SECURITY

Our products are tested in two ways, the first and most important is two crashtests, one (ECE 17:07) performed by Milbrook in England and another one performed by Valutec in France (INRS NS286). Learn more about us on our homepage, www.systemedstrom.com.

Pegboard tray



4370



4364



4362



4360

Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370

A number of different trays that solve (almost) all storage problems.

Hooks



4356



4357



2706



2708

Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708
85	80	100	0,2	4356
61	83	55	0,1	4357

Hose/Cable rack



4077



4349

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077

Tube holder

Depth	Width	Height	Kg	Part.No
66	194	123	0,4	4349



Internal ladder holder



Length	Kg	Part.No
2400	5,5	T8900


Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.

ACCESSORIES



Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1




Art.No

F11001

Pegboard not included.

Accessory package No. 2




Art.No

F11002

Pegboard not included.

Accessory package No. 3



Art.No

F11004

Pegboard not included.

For more information:
www.systemedstrom.co.uk



Up to 5 years
warranty



Crash tested



Made in Sweden

**SYSTEM
EDSTRÖM**

EDSTRÖM OF SWEDEN LTD.
7, Cronin Road
Weldon South Industrial Estate, Corby
Northamptonshire NN18 8 AQ

CONTACT
Telephone 01536 203040
Email info@edstrom.co.uk
Homepage www.systemedstrom.co.uk